

4.1 Power Consumption Test

1.Test Environment:

CPU	Celeron-M /512K/ 1.3 GHZ
Memory	SEITEC DDR333 512MB
HDD	HITACHI IC35L040AVVN07-0 40GB
CDROM	SONY DDU1621 DVD-ROM
Operating System	Windows XP
Test Program	3DwinMark 2003

Voltae	Current (A)	Power (W)	Remark
12V	2.55	30.6	

2.Test Environment:

CPU	Pentium M/533/2M/ 1.86 GHZ
Memory	HYNIX DDR333 1GB
HDD	HITACHI IC25N040ATMR04-0 4200RPM 40GB
CDROM	SONY DDU1621 DVD-ROM
Operating System	Windows XP
Test Program	3DwinMark 2003

Voltae	Current (A)	Power (W)	Remark
12V	3.4	40.8	

3.Test Environment:

CPU	Pentium M/400/2M/ 2.0 GHZ
Memory	HYNIX DDR333 1GB
HDD	HITACHI IC25N040ATMR04-0 4200RPM 40GB
CDROM	SONY DDU1621 DVD-ROM
Operating System	Windows XP
Test Program	3DwinMark 2003

Voltae	Current (A)	Power (W)	Remark
12V	3.2	38.4	

4.Test Environment:

CPU	Pentium M /2M/ 2.13 GHZ
Memory	SAMSUNG DDR333 512MB
HDD	HITACHI IC25N040ATMR04-0 4200RPM 40GB
CDROM	SONY DDU1621 DVD-ROM
Operating System	Windows XP
Test Program	3DwinMark 2003

Voltae	Current (A)	Power (W)	Remark
12V	3.4	40.8	

5.Test Environment:

CPU	Pentium M/533/2M/ 2.13 GHZ
Memory	HYNIX DDR333 1GB
HDD	HITACHI IC25N040ATMR04-0 4200RPM 40GB
CDROM	SONY DDU1621 DVD-ROM
LVDS Panel	LG PHILIPS LM170E01 17" Panel
Operating System	Windows XP
Test Program	3DwinMark 2003

Voltae	Current (A)	Power (W)	Remark
12V	5.3	63.6	

